

All of our single-phase dust extractors are equipped with a fine filter and a HEPA filter (H 13). Filter cleaning is achieved with a reverse air pulse cleaning system which is very effective, done without release of collected dust and the unit does not need to be disassembled. The filter system also allows for ergonomic and dust-free filter changes.



A highly portable machine, powerful enough for source extraction and effective vacuum cleaning.

## DC 1800

The DC 1800 is delivered with the following:

- Suction hose (Ø 38) 5 m (Part No 2105)
- Antistatic hose set Ø 1.5"/38 mm x 15'/5m (Part Nos 2012+2108+2114)
- Aluminium floor tool B 370, 1.5"/38 mm (Part No 7235)
- Chrome steel wand Ø 1.5"/38 mm (Part No 7257)
- Plastic sacks (Part No 42291)
- Basket for plastic sack (Part No 42369)
- Fine filter, cellulose (Part No 42029)
- HEPA filter (Part No 42027)

## TECHNICAL DATA – DC 1800

Weight, lbs/kg	22/10
Max Q, cfm/m <sup>3</sup> /h	114/190
Max vacuum, inwg/kPa	115/230 V 84/21/24
Power consumption max	115/230 V 1 200/1 400 W
Sound level	68 dB(A)

## DC 1800 – no light-weight but only 10 kg/22 lbs!

The DC 1800 is suitable for general cleaning and source extraction from handheld power tools (with up to 5" suction casings) and small table saws. The DC 1800 is small, lightweight and ideal for those that need a highly portable machine that is powerful enough for source extraction. With its low weight, it is easy to carry onto the job site and can be easily stored or rolled under a workbench. The sturdy construction is perfect for the demands of the construction and machine rental industry, but also for anyone that needs a light yet powerful dust extractor. The DC 1800 is equipped with a steel container and a plastic bag is used inside the container.

**DC 1800 Autostart:** Connect the subject electric tool to the electrical outlet on unit. Set the selector switch to the AUTO position. The unit will start automatically when the subject tool is started.

